

INSTRUCTIONS FOR FLEX SIGMOIDOSCOPY

Procedure Date: _____

Follow Up Visit: _____

The surgical center will call you **2 business days** prior to your procedure with your arrival time.

- <u>Cypress Ambulatory Surgery Center</u> 5016 W. Cypress Street Suite 100 Tampa, FL 33607 (813)542-2589
- <u>St. Joseph's Same Day Surgery Center</u> 3001 W. Dr. Martin Luther King Jr. Blvd. Tampa, Fl 33607 Phone: 813-870-4711

Instructions:

- Five days before do not take any Aspirin, Advil, Aleve, Motrin, naprosyn, Celebrex, Trental, Relafen, all vitamins, and herbal supplements. It is safe to take Tylenol as a pain reliever.
- Stop taking Coumadin and Plavix five days prior to procedure. Continue taking routine medications, including blood pressure and heart medications.
- If diabetic, do not take diabetic medications the night before and the morning of procedure.
- Nothing to eat or drink after midnight the day before procedure. You may take any necessary medications with a sip of water up to 3 hours prior to your procedure.

Day before procedure:

- Clear liquid diet
- At 6 p.m. do 2 bottles of Magnesium Citrate
- Morning of procedure do 1 Fleet Enema
- You must have a friend or family member drive you to and from the facility. NO FORM OF TAXI SERVICE IS PERMITTED.

Please allow a 5-business day notice for cancellation or there will be a \$200 charge.



5016 W. Cypress St. Suite 200 Tampa, FL 33607 (813) 542-2589 www.Gastro-MD.com

Please call the office if you have any questions or concerns. Visit us at www.Gastro-MD.com.