

## **SUPREP INSTRUCTIONS:**

## The day before your procedure start drinking clear liquids first thing in the morning.

If your procedure is <u>BEFORE</u> 12PM (noon)	If your procedure is <u>AFTER</u> 12PM (noon)
1. At 5:00PM- pour bottle #1 of SUPREP (6 ounces) into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.	1. At 7:00PM- pour bottle #1 of SUPREP (6 ounces) into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.
2. Drink two (2) more 16-ounce cups of clear liquid over the next one (1) hour.	2. Drink two (2) more 16-ounce cups of clear liquid over the next one (1) hour.
3. At 1:00AM- pour bottle #2 of SUPREP (6 ounces) into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.	3. At 6:00AM- pour bottle #2 of SUPREP (6 ounces) into the mixing container. Add cold water to the 16-ounce line and drink all the liquid in the cup.
4. Drink two (2) more 16-ounce cups of clear liquid over the next one (1) hour.	4. Drink two (2) more 16-ounce cups of clear liquid over the next one (1) hour.

## DRINK AS MUCH CLEAR LIQUID AS YOU ARE ABLE TO TOLERATE, ALL DAY! DRINK. DRINK. DRINK.

## STOP drinking at least 3 hours prior to arrival time.

**\*\***Please allow a 5-business day notice for cancellation or there will be a \$200 fee.