

5016 W. Cypress St. Suite 200 Tampa, FL 33607 (813) 542-2589 www.Gastro-MD.com

GENERAL PREPARATION INSTRUCTIONS

PROCEDURE DATE:	FOLLOW UP DATE:	
Cypress Ambulatory Surgery Center	St. Joseph's Hospital	Tampa General Hospital
5016 W. Cypress St, Suite 100	3001 W. Dr. Martin Luther King Blvd	1 Tampa General Cir
Tampa, FL 33607	Tampa, FL 33614	Tampa, FL 33606
(813) 542-2586	(813) 870-4000	(813) 844-7000

HOW TO PREPARE FOR THE PROCEDURE:

- If you take insulin and/or blood thinners such as: Coumadin, Plavix, Effient, Brilinta, Pradaxa, Eliquis and Xarelto- we will obtain clearance from your prescribing provider before the procedure for specific instructions.\
- STOP iron supplements, vitamins and herbal supplements 5 days before the procedure.
- STOP aspirin, Aleve, Motrin, Naproxen or Ibuprofen 5 days before the procedure. Tylenol is OK to take.
- **STOP** Phentermine 1 week before the procedure.
- **DO NOT** take ACE inhibitors or Angiotensin receptor blockers (ARBs) the day of your procedure.
- **DO** take all other blood pressure medications and beta-blockers up until **3 hours** before procedure, with a <u>small</u> sip of water.
- If you're on any of these medications, you will have to stop 1 week prior to procedure. These medications have an increased risk of delayed gastric emptying. Semaglutide ("Ozempic", Wegovy, Rybelsus) and other glucagon-like peptide (GLP-1) receptor agonists. Other medications in this class include dulaglutide ("Trulicity"), Liraglutide ("Victoza," "Saxenda"), exenatide ("Byetta," "Bydureon BCise"), and tirzepatide ("Mounjaro").
- If you take insulin and/or blood thinners such as: Coumadin, Plavix, Effient, Brilinta, Pradaxa, Eliquis and Xarelto- we will obtain clearance from your prescribing provider before the procedure for specific instructions.
- You must have a friend or family member over the age of 18 to take you home from the facility. NO FORM OF TAXI
 OR UBER SERVICE ALLOWED

DAY BEFORE PROCEDURE:

NO SOLID FOOD THE ENTIRE DAY BEFORE THE PROCEDURE!

Drink **ONLY** clear liquids all day. Do not drink any liquids that are red or purple in color- cranberry juice, red grape juice.

Examples of Clear liquids: (nothing red or purple), **No dairy**.

Soups: broth or bouillon (beef, chicken)

Juices: white grape, apple, white cranberry, etc

Desserts: Jell-O, Italian ice, Popsicles, etc

Beverages: Tea, Water, black coffee, Crystal light

STOP all liquids three (3) hours prior to the procedure, including water.

** ADMINISTRATIVE FEES

As a courtesy to other patients who are waiting for appointments, we require that you provide us with notice of any cancellation of an appointment. Missed or cancelled appointments are subject to the following fee, which is not covered by your insurance:

Revised: 1/11/2024



5016 W. Cypress St. Suite 200 Tampa, FL 33607 (813) 542-2589 www.Gastro-MD.com

CLENPIQ INSTRUCTIONS:

The day before your procedure start drinking clear liquids first thing in the morning.

If your procedure is <u>BEFORE</u> 12PM (noon)	If your procedure is <u>AFTER</u> 12PM (noon)
1. At 5:00PM- drink bottle #1 of the prep	1. At 7:00PM- drink bottle #1 of the prep
2. Immediately after bottle #1 start drinking at least one 8-ounce glass of clear liquids every hour for the next five (5) hours.	2. Immediately after bottle #1 start drinking at least one 8-ounce glass of clear liquids every hour for the next five (5) hours.
3. At 1:00AM- drink bottle #2 of the prep	3. At 6:00AM- drink bottle #2 of the prep.
4. Immediately after bottle #2 start drinking at least three 8 ounce glasses of clear liquids.	4. Immediately after bottle #2 start drinking at least three 8 ounce glasses of clear liquids.

DRINK AS MUCH CLEAR LIQUID AS YOU ARE ABLE TO TOLERATE, ALL DAY! DRINK. DRINK. DRINK.

STOP drinking at least 3 hours prior to arrival time.

** ADMINISTRATIVE FEES

As a courtesy to other patients who are waiting for appointments, we require that you provide us with notice of any cancellation of an appointment. Missed or cancelled appointments are subject to the following fee, which is not covered by your insurance:

Revised: 1/11/2024



5016 W. Cypress St. Suite 200 Tampa, FL 33607 (813) 542-2589 www.Gastro-MD.com

(Alternative Preparation)

OVER THE COUNTER PREP INSTRUCTIONS:

The day before your procedure start drinking clear liquids first thing in the morning.

Purchase at the pharmacy/grocery store:

- *1 bottle of Gatorade (64 ounces), or 1 box of Crystal Light packets (recommended for diabetics)
- *1 bottle of MiraLax, (238 gm)
- *1 bottle of Magnesium citrate, (10 ounces)
- *Dulcolax (bisacodyl) 5 mg tablets

If your procedure is <u>BEFORE</u> 12PM (noon)	If your procedure is <u>AFTER</u> 12PM (noon)
1. At 5:00PM- take 3 Dulcolax tablets with at least 8 ounces of water	1. At 5:00PM- take 3 Dulcolax tablets with at least 8 ounces of water
2. At 5:30PM, drink 1 (one) bottle of Magnesium Citrate	2. At 5:30PM, drink 1 (one) bottle of Magnesium Citrate
3. At 6:00PM, mix the entire bottle of MiraLax with the bottle of Gatorade or * if you are diabetic, a pitcher of Crystal light. Shake/stir the solution until the powder is dissolved. Drink 8 ounces every 10-15 minutes until ½ of the solution is gone. (Drinking with a straw helps).	3. At 6:00PM, mix the entire bottle of MiraLax with the bottle of Gatorade or * if you are diabetic, a pitcher of Crystal light. Shake/stir the solution until the powder is dissolved. Drink 8 ounces every 10-15 minutes until ½ of the solution is gone. (Drinking with a straw helps).
4. At 1:00AM- continue to drink 8 ounces of the MiraLax solution every 10-15 minutes until the rest of the solution is gone.	4. At 6:30AM- the morning of the procedure, continue to drink 8 ounces of the MiraLax solution every 10-15 minutes until the rest of the solution is gone.

DRINK AS MUCH CLEAR LIQUID AS YOU ARE ABLE TO TOLERATE, ALL DAY! DRINK. DRINK. DRINK

STOP drinking at least 3 hours prior to arrival time.

** ADMINISTRATIVE FEES

As a courtesy to other patients who are waiting for appointments, we require that you provide us with notice of any cancellation of an appointment. Missed or cancelled appointments are subject to the following fee, which is not covered by your insurance:

Revised: 1/11/2024